Author Index to Volume 15

Acierno, D., LaMantia, F. P.,Polizzotti, G., Alfonso, G. C., and Ciferri, A.: Increasing the Elastic Modulus of Polyamides, 323
Ahn, K.-D. See Cho, I.
Alfonso, G. C. See Acierno, D.
Anwaruddin, Q. See Balasubramanian, V. S.
——. See Sahul, K.
Anzai, J. See Ueno, A.
Ariyama, T., Nakayama, T., and Inoue, N.: Thermal Properties of Hydrostatically Extruded Amorphous Polymers, 427
Asanuma, T., Yamamoto, M., and Nishijima, Y.: A New Synthesis of Donor-Accepter Alternating Cooligomer, 89
Asquith, R. S., Gardner, K. L., Geehan, T. G., and McNally, G.: Benzophenone-Catalyzed Photodegradation of Polypropylene Film, 435

Balasubramanian, V. S., Anwaruddin, Q., and Natarjan, L. V.: Photopolymerization of Methyl Methacrylate Initiate by Thalium (III) Ions in Aqueous Sulfuric Acid Solution, 599
Ball, R. and Porter, R. S.: Solid-State Extrusion of Poly(1-butene), 519
Barrie, J. A. See Kashani, H. A.
Beiringer, H. See Olaj, O. F.
Bhadani, S. N. and Prasad, Y. K.: Anodic Gel Polymerization of Acrylamide, 721
—— and ——: Nitrogen Dioxide-Initiated Polymerization of Acrylamide, 305
Bianchi, U., Bruzzone, M., and Mormino, M.: Fractional Precipitation of Nylon 6 in the Amorphous State, 345
Blackwell, J. See Kolpak, F. J.
Blumstein, A. See Hsu, E. C.
——. See Osada, Y.
Bohdanecky, M. See Lath, D.
Boyd, R. H. and Rahalkar, R. R.: Correlation between Molecular Relaxation Rates in Solution and Bulk-Phase Glass Temperatures, 515
Boyer, R. F. and Snyder, R. G.: The Glass Temperature of Amorphous Polyethylene, 315
Breitenbach, J. W. See Olaj, O. F.
Bruno, G., Caccamese, S., Maravigna, P., Montaudo, G., and Recca, A.: X-Ray Structure of Poly(α-truxillic Piperazide), A Photoreactive Polymer, 481
Bruzzone, M. See Bianchi, U.
Buleon, A., Chanzy, H., and Roche, E.: Shish Kebab-Like Structure of Cellolose, 265
Butler, G. B. See Chu, S-C

Caccamese, S. See Bruno, G.
Cais, R. E. and O'Donnell, J. H.: Depropagation Reactions in the Copolymerization of Vinyl Chloride and Sulfur Dioxide, 659
Camino, G., Guaita, M., and Trossarelli, L.: Hydrogen-Transfer Polymerization of Acrylamide: Separation of Oligomers, 417
Carlsson, D. J. See Garton, A.
Chanzy, H. See Buleon, A.
Chapiro, A.: The French Polymer Group "G.F.P." for the Study of Polymers and Their Application, 769
Chaudhuri, A. K. See Ghosh, S. K.
Chen, H. Y.: Isomerization in the Hydrogenation of 1,4-Polybutadienes by Diimide from Toluenesulfonyl Hydrazide, 271
Chidambareswaran, P. K. See Lockhande, H. T.
Cho, I. and Ahn, K.-D.: Facile Radical Isomerization Polymerization of Vinyl Disubstituted Cyclopropanes, 751
Choy, C. L. See Gibson, A. G.
Chu, S-C and Butler, G. B.: Cyclopolymerization of Conformationally Controlled Unsymmetrical Dienes: 2-(0-Vinylpheonoxy) ethyl Methacrylate and Acrylate, 277
Ciferri, A. See Acierno, D.
——. See Marrucci, G.

Clough, S. B. See Hsu, E. C.
Coleman, M. M., Zarian, J., Varnell, D. F., and Painter, P. C.: A Fourier Transform Infrared Study of Polymer Blends. I. Poly(vinylidene Fluoride)-Poly(methyl Methacrylate) System, 745
Cowsar, D. R. See Tanquary, A. C.

Daly, R. C. See Martic, P. A.
Danusso, F. and Ferruti, P.: Research on Biomedical and Pharmacologically Active Polymers in Italy, 239
Dawans, F. See Morel, D.
De Gennes, P. G.: STRACASOL: A Joint French Effort on the Physics of Flexible Chains, 623
Desper, C. R., Schneider, N. S., and Higginbotham, E.: Mesomorphic Structure in Poly(organophosphazenes), 457
Desvalois, M. See Riess, G.
Doane, W. M. See Gugliemelli, L. A.
Domard, A. See Rinaudo, M.
Donnelly, E. F., Johnston, D. S., Pepper, D. C., and Dunn, D. J.: Ionic and Zwitterionic Polymerization of n-Alkyl 2-Cyanoacrylates, 399
Donnet, J. B. See Vidal, A.
Dorrington, K. L., McCrum, N. G., and Watson, W. R.: Entropy Elasticity in Poly(2-hydroxyethyl Methacrylate) Gels, 733
Druhala, M. See Feughelman, M.
Dunn, D. J. See Donnelly, E. F.

Eisenbach, C. D., Lenz, R. W., and Sekiguchi, H.: Counterion Effects on the Polymerization Rates of α,α-Disubstituted β-Propiolactams, 83

Fanconi, B. See Rabolt, J. F.
Farid, S. See Martic, P. A.
Ferruti, P. See Danusso, F.
Feughelman, M. and Druhala, M.: The Stability of the α-Helix of Polypeptides, 311
Frank, W.: Far-Infrared Spectrum of Irradiated Polyethylene, 679
Fujisawa, T. See Kobayashi, N.

Gale, D. M.: Ablation-Compaction of Poly-(p-phenylene), 439
Galembeck, F.: Surface Modification of Teflon: Contact-Angle Measurements, 107
Gandini, A. and Prieto, S.: Addition of Carboxylic Acids to N-Vinylcarbazole, 337
Gardner, K. L. See Asquith, R. S.
Garnett, J. L. and Kenyon, R. S.: Acid Effects in the Styrene Comonomer Technique for Radiation Grafting to Wool, 421
——, ——, and Leeder, J. D.: The Importance of Styrene as a Comonomer in Acid-Catalyzed Grafting to Wool, 93
Garton, A., Carlsson, D. J., and Wiles, D. M.: Tensile Properties of Polypropylene Monofilaments, 451
Geehan, T. G. See Asquith, R. S.
George, M. H. See Kashani, H. A.
——. See Maybod, H.
Ghosh, S. K., Sengupta, T. K., and Chaudhuri, A. K.: Graft Copolymerization of Styrene onto Polyacrylonitrile via Thioamide Formation, 501
Gibson, A. G., Grieg, D., Sahota, M., Ward, I. M., and Choy, C. L.: Thermal Conductivity of Ultrahigh-Modulus Polyethylene, 183
Glaze, W. H., Reinarz, R. B., and Moore, M. L.: Addition of tert-Butyllithium to Dienes of Fixed Conformation, 141
Gleiter, H. See Petermann, J.
Golub, M. A.: Thermal Cyclization of 1,2-Poly(trans-1,3-Pentadiene): An Intramolecular Ene Reaction, 369
Greig, D. See Gibson, A. G.
Guaita, M. See Camino, G.
Gugliemelli, L. A., Swanson, C. L., Doane, W. M., and Russell, C. R.: Preparation of Starch Poly(styrene-Co-Acrylonitrile) Graft Polymers by Cerium(IV) Initiation, 739

Hallensleben, M. L.: Copolymer Formation by Terminating Living Polymers with Polydisulfides, 619
Harada, M. See Ogata, N.
Hariharan, S. S. and Meenakshi, A.: A New Water-Soluble Initiator for Vinyl Polymerization, 1
Hartmann, W. See Klesper, E.
—— and Klesper, E.: Preparative Supercritical Fluid Chromatography of Styrene Oligomers, 713
Hatada, K. See Yuki, H.
Hawkes, S. J. See Millen, W.

Hayashi, N. See Sato, K.
Hayashi, Y. See Kobayashi, N.
Hendra, P. J. and Marsden, E. P.: On the Factors Controlling Lamellar Thickness in Quenched Melts of Polyethylene, 259
Higginbotham, E. See Desper, C. R.
Hong, S-J and Khono, M.: Some Intrinsic Properties of Schiff Base Polymers, 147
Horii, F., Kitamaru, R., and Suzuki, T.: Proton Magnetic Resonance Spectrum of Linear Polyethylene in the Melt, 65
Hosoda, S. See Soga, K.
Hsu, E. C. and Blumstein, A.: Polymerization of a Nematic Monomer: N-(p-Cyanobenzylidene)-p-Aminostyrene, 129
——, Clough, S. B., and Blumstein, A.: Liquid Crystalline Order in Polymers With Cholesteric Side Groups, 545
Hsu, T. D. See Salamone, J. C.

Iizawa, T. See Imai, Y.
Ikeda, S. See Soga, K.
Imai, Y., Ueda, M., and Iizawa, T.: A Novel Synthesis of Aromatic Polysulfonamides from Active Di-benzotriazolyl Disulfonate and Aromatic Diamine Under Mild Conditions, 207
Inoue, N. See Ariyama, T.
Ito, K., Sakakura, H., and Yamashita, Y.: Characterization of Styrene-Tetrahydrofuran Block Copolymers by Inverse Gas Chromatography, 755
Iwakura, Y. See Niume, K.

Johnston, D. S. See Donnelly, E. F.

Kadoma, Y. See Ueno, A.
Kaetsu, I. and Watanabe, Y.: Temperature Dependence of Initial Polymerization Rate in Radiation-Induced Polymerization of Polyfunctional Glass-Forming Monomers, 235
Kakida, H. See Nakauchi, J.
Kamogawa, H., Nanasawa, M., and Uehara, Y.: Facile Syntheses of 2,4-Dihydroxybenzophenone Derivatives with Polymerizable Vinyl Groups, 675
Kashani, H. A., George, M. H., and Barrie, J. A.: Anionic Synthesis and Characterization of Poly(hexamethylene Adipamide-g-Ethylene Oxide), 565
——, ——, and ——: Metalation and Preparation of Nylon 66 Graft Copolymers, 363
Katakai, R.: The α-Helical Conformation of the Sequential Polypeptides Having Successive Sequences of L-Valine-L-Isoleucine and Glycine, 531
Kauffmann, H. F. See Olaj, O. F.
Kawakami, Y. See Yamashita, Y.
Keller, A.: Polymer Research on the H. H. Wills Physics Laboratory, University of Bristol, 161
Kennedy, J. P. See Vidal, A.
—— and Mandal, B. M.: Vinylation and Polymerization with Trivinylaluminium. III. Vinylation of Chlorinated Ethylene-Propylene Rubber and Crosslinking, 595
Kenyon, R. S. See Garnett, J. L.
Khono, M. See Hong, S-J
Kim, O-K: Effect of Micellar Complexation of Bisulfite c.. the Polymerization of Methyl Acrylate, 287
Kim, W. S. See Morishima, Y.
Kimoto, H. See Kobayashi, N.
Kinstle, J. F. and Sepulveda, L. E.: A Novel "Apparent Sublimation" of a Polymer, 467
Kitamaru, R. See Horii, F.
Kitano, K. See Yamashita, Y.
——. See Hartmann, W.
——. See Strasilla, D.
Klesper, E. and Hartman, W.: Supercritical Fluid Chromatography of Styrene Oligomers, 9
—— and ——: Parameters in Supercritical Fluid Chromatography of Styrene Oligomers, 707
—— and Strasilla, D.: ^{1}H-NMR Study of the Esterification of Syndiotactic Poly-(methacrylic Acid) with Carbodiimides, 23
Kobayashi, N., Osawa, A., Shimizu, K., Hayashi, Y., Kimoto, H., and Fujisawa, T.: Sulfur-Containing Polymers. XIX. Adsorption of Mercury from Aqueous Solutions by Thiuram Polysulfide Polymers, 137
——, ——, ——, and Fujisawa, T.: Sulfur-Containing Polymers. XX. Synthesis and Mercury-Binding Properties of Crosslinked Polystyrene Bearing Thiuram Disulfide Groups, 329
Koenig, J. L. See Strambaugh, B. D.
Kolpak, F. J., Blackwell, J., and Litt, M. H.: Morphology of Cellulose Regenerated from Hydrazine Solution, 655

Konagaya, S. See Yamamoto, T.
Kondo, K., Takahashi, K., and Takemoto, K.: Functional Polymers Containing Isoalloxazine Residues, 77
——, Tsumadori, M., and Tsuda, K.: Synthesis and Copolymerization of Methylphenylvinylsulfonium Tetrafluoroborate, 333

Lacombe, R. H. See Sanchez, I. C.
LaMantia, F. P. See Acierno, D.
Lando, J. B. See Strambaugh, B. D.
Lath, D. and Bohdanecky, M.: Temperature Coefficient of the Unperturbed Dimensions of Poly(n-butyl Methacrylate), 555
Le Bris, J. See Vert, M.
Lee, S. W. See Sugiyama, K.
Leeder, J. D. See Garnett, J. L.
Lenz, R. W. See Eisenbach, C. D.
Levy, A. C.: A Conformation-Dependent Equation of State for Normal Alkanes, 219
Linkens, A. and Vanderschueren, J.: Thermoluminescence and Molecular Relaxation Process in Doped Polydiancarbonate, 41
Litt, M. H. See Kolpak, F. J.
Lockhande, H. T., Shukla, S. R., Chidambraeswaran, P. K., and Patil, N. B.: Ethylenediamine-Induced Conversion of Cellulose I to Cellulose II, 97

McCrum, N. G. See Dorrington, K. L.
McNally, G. See Asquith, R. S.
Machi, S. See Matsuda, O.
Mahmud, M. U. See Salamone, J. C.
Mandal, B. M. See Kennedy, J. P.
Marrucci, G. and Ciferri, A.: Phase Equilibria of Rod-Like Molecules in an Extensional Flow Field, 643
Marsden, E. P. See Hendra, P. J.
Martic, P. A., Daly, R. C., Williams, J. L. R., and Farid, S.: Effect of Polymeric Matrices and Temperature on Exciplex Emissions, 295
Marvel, C. S. See Swedo, R. J.
Marvigna, P. See Bruno, G.
Matsuda, O., Watanabe, S., Okamoto, J., Machi, S., and Tabata, Y.: Radiation-Induced Copolymerization of Hexafluoroacetone with α-olefins, 101
Maybod, H. and George, M. H.: Effect of Oxygen on Acrylonitrile Radical Polymerization: Application of the Microwave Plasma Detector, 693
Meenakshi, A. See Hariharan, S. S.
Millen, W. and Hawkes, S. J.: Determination of Diffusion Coefficients of Polyethylene by Gas Chromatography, 463
Minami, S. See Nakauchi, J.
Minoura, Y. See Uemura, H.
Montaudo, G. See Bruno, G.
Moore, M. L. See Glaze, W. H.
Morel, D. and Dawans, F.: Synthesis of New Polymers with Fluorocarboxylic Groups, 579
Morgan, G. J. and Scovell, P. D.: Thermal Transport in Amorphous Polymers in High Temperatures, 193
Morishima, Y., Suzuki, L. S., Kim, W. S., and Nozakura, S-I: Structure and Reaction of Poly(N-vinylurea), 341
Mormino, M. See Bianchi, U.
Murakami, K. See Ono, K.

Nakauchi, J., Kakida, H., Minami, S., and Yoshihara, T.: A Novel Crystalline Complex Polymer Composed of Poly(m-phenylene Isophthalamide) and Caprolactam, 527
Nakayama, T. See Ariyama, T.
Nanasawa, M. See Kamogawa, H.
Natarjan, L. V. See Balasurbramanian, V. S.
——. See Sahul, K.
Nishijima, Y. See Asanuma, T.
Niume, K., Toda, F., Uno, K., and Iwakura, Y.: Catalytic Friedel-Crafts Polyketone Synthesis in PPA, 283
Noguchi, H. and Uchida, Y.: Reactions of N,N,N′,N′-Tetramethyl-α,ω-Diaminoalkanes with α,ω, Dihaloalkanes. IV. Comparison of the Rate of the 3-6 Reaction with That of the 6-3 Reaction, 31
Nozakura, S-I. See Morishima, Y.
Nystrom, B. See Sundelof, L-O

O'Donnell, J. H. See Cais, R. E.
Ogata, N. and Harada, M.: Synthesis of Polyamide by Phosphorylation Using Polyphosphates and Imidazole, 551
Ohta, K. See Yuki, H.
Okajima, S. See Tanaka, H.
Okamoto, J. See Matsuda, O.
Okamoto, Y. See Yuki, H.
Olaj, O. F., Kauffmann, H. F., Breitenbach, J. W., and Beiringer, H.: The Diels-Alder

Intermediate as a Chain-Transfer Agent in Spontaneous Styrene Polymerization. II. Evidence from the Comparison of the Chain-Length Distribution of Spontaneously Initiated and Photoinitiated Polymers, 229
Ono, K. and Murakami, K.: Kinetics of Gelation of Aqueous Poly(methacrylic Acid) Solutions under Shear Stress, 507
Osa, T. See Ueno, A.
Osada, Y. and Blumstein, A.: Liquid Crystalline Order in Copolymers of Cholesteryl Methacrylate with n-Alkyl Methacrylates, 761
Osawa, A. See Kobayashi, N.

Painter, P. C. See Coleman, M. M.
Paleos, C. M.: Polymerization of Vinylpyrinium Salts. I. Interfacial and Isotropic Polymerization of 4-Vinyl-N-Plethylpyridinium Methylsulfate, 535
Patil, N. B. See Lockhande, H. T.
Paul, S. and Rånby, B.: Antistatic Poly-(methyl Methacrylate) (PMMA)– Copolymer Blends, 687
Pepper, D. C. See Donnelly, E. F.
Petermann, J. and Gleiter, H.: Electron Microscopic Observations on the Crystallization of Row Structures in Strained Melts, 649
Polizzotti, G. See Acierno, D.
Porter, R. S. See Ball, R.
Prasad, Y. K. See Bhadani, S. N.
Prieto, S. See Gandini, A.

Rabolt, J. F. and Fanconi, B.: Longitudinal Acoustic Mode in Helical Polymers: Poly(oxymethylene) and Isotactic Polypropylene, 121
Rahalkar, R. R. See Boyd, R. H.
Rånby, B. See Paul, S.
Recca, A. See Bruno, G.
Reid, R. F. and Soutar, I.: Energy Migration and Excimer Formation in Copolymers of 1-Vinylnaphthalene and Methyl Methacrylate, 153
Reinarz, R. B. See Glaze, W. H.
Riess, G. and Desvalois, M.: Dispersion Copolymerization of Styrene and Acrylonitrile in Organic Media, 49
Rinaudo, M. and Domard, A.: Interchain Correlations Observed in Neutron-Scattering Experiments on Poly(α-L-Glutamic Acid) Solutions, 411
Roche, E. See Buleon, A.
Russell, C. R. See Gugliemelli, L. A.

Sacher, E.: Dielectric Support for the Glass Transition in Poly(vinyl Fluoride), 395
Sahota, M. See Gibson, A. G.
Sahul, K., Natarjan, L. V., and Anwaruddin, Q.: Photopolymerization of Acrylamide in Aqueous Solution by Potassium Trisoxalatoferrate (III), 605
Sakakura, H. See Ito, K.
Salamone, J. C., Watterson, A. C., Hsu, T. D., Tsai, C.-C., and Mahmud, M. U.: Polymerization of Vinylpyridinium Salts. IX. Preparation Monomeric Salts Paris, 487
Sanchez, I. C. and Lacombe, R. H.: An Elementary Equation of State for Polymer Liquids, 71
Sato, K., Hayashi, N., and Tazuke, S.: Polyesters Bearing Pendant Anthryl and Pyrenyl Groups from Thioesters of Dicarboxylic Acids, 671
Schneider, N. S. See Desper, C. R.
Scovell, P. D. See Morgan, G. J.
Sekiguchi, H. See Eisenbach, C. D.
Sengupta, T. K. See Ghosh, S. K.
Sepulveda, L. E. See Kinstle, J. F.
Shen, L. N.: Viscosity-Average Molecular Weight Change during Fracture of Nylon 6 Fibers, 615
Shimizu, K. See Kobayashi, N.
Shukla, S. R. See Lockhande, H. T.
Snyder, R. G. See Biyer, R. F.
Soga, K., Hosoda, S., and Ikeda, S.: A New Synthetic Route to Polycarbonate, 611
Sorvik, E. M. See Uuskyla, L.
Soutar, I. See Reid, R. F.
Strambaugh, B. D., Koenig, J. L., and Lando, J. B.: Infrared Studies of the Alpha-Crystal Phase of Poly(tetramethylene Terephthalate), 299
Strasilla, D. See Klesper, E.
—— and Klesper, E.: ^{1}H-NMR of the OCH_3 Group in Syndiotactic Methacrylate Copolymers, 199
Sundararajan, P. R.: Energy Calculations on Poly(methyl Methacrylate), 699
Sundelof, L-O and Nystrom, B.: Sedimentation Behavior and Particle Shape in Concentrated Macromolecular Solutions, 377

Sugiyama, K. and Lee, S. W.: Grafting of Methacrylate onto Ribonucleic Acid, 17
Suzuki, L. S. See Morishima, Y.
Suzuki, T. See Horii, F.
Swanson, C. L. See Gugliemelli, L. A.
Swedo, R. J. and Marvel, C. S.: Biophenylene as a Crosslinking Unit in Polyaromatic Ether-Ketone Resins. XIII, 683

Tabata, Y. See Matsuda, O.
Takahashi, K. See Kondo, K.
Takemoto, K. See Kondo, K.
Tanaka, T. See Tsutsui, T.
—— and Okajima, S.: Studies on the Biaxial Stretching of Polypropylene Film. XII. Effect of Crystallinity on the Deformation Mechanism of the Biaxial Stretching in One Step, 349
Taninaka, T. See Uemura, H.
Tanquary, A. C., Cowsar, D. R., and Tarwater, O. R.: Thermoplastic Crosslinked Polyamides of 3,3-Bis(hydroxymethyl)glutaric Acid, 471
Tarwater, O. R. See Tanquary, A. C.
Tazuke, S. See Sato, K.
Toda, F. See Niume, K.
Trossarelli, L. See Camino, G.
Tsai, C.-C. See Salamone, J. C.
Tsuda, K. See Kondo, S.
Tsumadori, M. See Kondo, S.
Tsutsui, T. and Tanaka, T.: Polymerization of N,N-Dimethylacrylamide in Cholesteric Mesophase, 475

Uchida, Y. See Noguchi, H.
Ueda, M. See Imai, Y.
Uehara, Y. See Kamogoawa, H.
Uemura, H., Taninaka, T., and Minoura, Y.: Effect of Chlorophosphines on Radical Polymerization of Styrene, 493
Ueno, A., Anzai, J., Osa, T., and Kadoma, Y.: Light-Induced Conformational Changes of Polypeptides, 407
Uno, K. See Niume, K.
Uuskyla, L. and Sorvik, E. M.: Long-Chain Branched PVC with Narrow Molecular Weight Distribution, 387

Vanderschueren, J. See Linkens, A.
Varnell, D. F. See Coleman, M. M.
Vert, M. and Le Bris, J.: ^{1}H-NMR Study of Ion-Dipole Interactions of Poly(−)1,2-Diaminopropane Sebacamide and of its Model Compound with $CaCl_2$ in Methanol, 559
Vidal, A., Donnet, J. B., and Kennedy, J. P.: Modification of Polymer Surfaces by Cationic Grafting, 585

Ward, I. M. See Gibson, A. G.
Watanabe, S. See Matsuda, O.
Watanabe, Y. See Kaetsu, I.
Watson, W. R. See Dorrington, K. L.
Watterson, A. C. See Salamone, J. C.
Wiles, D. M. See Garton, A.
Williams, J. L. R. See Martic, P. A.

Yamamoto, A. See Yamamoto, T.
Yamamoto, T., Konagaya, S., and Yamamoto, A.: Stereospecific Polymerization of Acetaldehyde by Transition Metal Alkyls, 729
Yamamoto, Y. See Asanuma, T.
Yamashita, Y. See Ito, K.
——, Kawakami, Y., and Kitano, K.: Macrocyclic Formals. I. Two-Stage Polymerization of 1,3,6,9-Tetraoxacycloundecane Initiated with Boron Trifluoride-Ether Complex, 213
Yoshihara, T. See Nakauchi, J.
Yuki, H., Ohta, K., Okamoto, Y., and Hatada, K.: Abnormal Chiroptical Properties of the Copolymers of (S)-(−)-α-Methylbenzyl Methacrylate and Trityl Methacrylate, 589

Zarian, J. See Coleman, M. M.

Subject Index to Volume 15

α-helix, polypeptides, stability of, 311
α-helical conformation of sequential polypeptides, 531
α-olefins, radiation induced copolymerization with of hexafluoracetone, 101
α,ω-dihaloalkanes, reactions with N,N,N′,N′-tetramethyl-α,ω-diaminoalkanes, 31
Ablation compaction of poly(p-phenylene), 439
Acetaldehyde, stereoscopic polymerization by transition metal alkyls, 729
Acid effect on styrene comonomer technique for radiation grafting to wool, 421
Acoustic mode, longitudinal, in helical polymers, 121
Acrylamide, anodic gel polymerization, 721
——, hydrogen transfer polymerization, 417
——, photopolymerization, 605
——, polymerization of, nitrogen dioxide-initiated, 305
Acrylonitrile, dispersion copolymerization in organic media, 49
—— radical polymerization, effect of oxygen on, 693
Adsorption of mercury in aqueous solution, 137
Alkanes, conformational-dependent equation of state for normal, 219
n-Alkyl 2-cyanoacrylates, polymerization of, 399
n-Alkyl methacrylates, copolymers of cholesteryl methacrylate with, 761
Alkyls, transition metal, 729
Amorphous polymers, thermal properties of, 427
——, thermal transport in, 193
Amorphous polyethylene, glass temperature of, 315
Amorphous state, Nylon 6, 345
Anodic gel polymerization of acrylamide, 721
Anthryl groups, polyesters bearing, 671
Aromatics, synthesis of polysulfonamides from Di-1-benzotriazolyl and diamine, 207

β-propiolactams, counterion effects on polymerization of, 83
Benzophenone-catalyzed photodegradation of polypropylene film, 435
3,3-bis(hydroxymethyl)glutaric acid, thermoplastic crosslinked polyamides of, 471
Biophenylene, as a crosslinking unit in polyaromatic ether-ketone resins, 683
Block copolymers, of styrene-tetrahydrafuran, characterization by inverse gas chromatography, 755
Boron trifluoride-ether complex, polymerization of 1,3,6,9,-tetraoxacycloundecane with, 213
Bulk phase, glass temperature of, correlation with solution molecular relaxation rate, 515

Carboxylic acid, addition of to N-vinylcarbazole, 337
Cellulose, conversion of I to II, 97
——, regenerated from hydrazine solution, morphology of, 655
——, shish kebab-like structures, 265
Cerium (IV) initiation, preparation of graft copolymers by, 739
Chain-length distribution, spontaneous and photoinitiated polymers, 229
Chiroptical properties, abnormal, of copolymers of (S)-(−)-α-ethylbenzyl methacrylate and trityl methacrylate, 589
Chlosteric side groups, liquid crystalline order in polymers with, 545
Cholesteryl methacrylate, copolymers of with n-alkyl methacrylates, 761
Chlorophosphines, effect on radical polymerization of styrene, 493
Chromatography, supercritical fluid, 9
——, ——, styrene oligomers, parameters, 707

——, ——, ——, preparative, 713
Comonomer, styrene, in grafting to wool, 93, 421
Complexation, micellar, effect on polymerization of methyl acrylate, 287
Conductivity, thermal, polyethylene, 183
Conformation, α-helical, of sequential polypeptides, 531
Conformational changes, light-induced in polypeptides, 407
Contact angle measurements, surface modification of Teflon, 107
Conversion of cellulose I to II, ethylenediamine induced, 97
Cooligomers, synthesis of donor-acceptor alternating, 89
Copolymers, block, of styrene-tetrahydrafuran, characterization by inverse gas chromatography, 755
——, cholesteryl methacrylate with n-alkyl methacrylate, 761
——, formation by terminating living vinyl polymers with polydisulfides, 619
——, graft, Nylon 66, 363
——, ——, poly(styrene-co-acrylonitrile), preparation, 739
——, methacrylates, abnormal chiroptical properties of, 589
——, PMMA blends, 687
——, syndiotactic methacrylic, NMR of OCH_3 group in, 199
Copolymerization, depropagation reactions in, of vinyl chloride and sulfur dioxide, 659
——, dispersion, of styrene and acrylonitrile in organic media, 49
——, graft, of styrene onto polyacrylonitrile, 501
——, methylphenylvinylsulfonium tetrafluoroborate, 333
——, radiation induced, hexafluoracetone with α-olefins, 101
Counterion effects on polymerization of α,α-distributed β-propiolactams, 83
Crystallinity, effect on biaxial stretching of polypropelene film, 349
Crystallization, of row structures in strained melts, electron microscope observations, 649
N (p-cyanobenzylidiene)-p-aminostyrene, polymerization of, 129
Cyclopolymerization, of conformationally controlled unsymmetrical dienes, 277
Cyclopropanes, vinyl distributed, facile radical isomerization polymerization, 751
Cyclization, thermal, of 1,2-poly(trans-1,3-pentadiene), 369

Depropagation reactions, in copolymerization of vinyl chloride and sulfur dioxide, 659
Di-1-benzotriazolyl, synthesis of aromatic polysulfonamides from, 207
Diamine, synthesis of aromatic polysulfonamides from, 207
Dicarboxylic acids, polyesters bearing pendant groups from thioester of, 671
Diels-Alder intermediate as a chain-transfer agent, 229
Dienes, addition of tert-butyllithium to, 141
——, cyclopolymerization of, 277
Diffusion coefficients, determination in polyethylene, 463
2,4-Dihydroxybenzophene derivatives, synthesis with polymerizable vinyl groups, 675
Diimide from toluenesulfonyl hydrazide, hydrogenation of 1,4-polybutadiene by, 271
N,N-Dimethylacrylamide, polymerization of, 475

ε-caprolactam, novel crystalline complex polymer, 527
Elastic modulus, polyamides, 323
Elasticity, entropy, poly(2-hydroxyethyl methacrylate), 733
Electron microscope, observations of crystallization of row structures in strained melts, 649
Emissions, exciplex, effect of polymeric matrices and temperatures, 295
Energy migration in copolymers, 153
Equation of state, polymer liquids, 71
——, conformation dependent, for normal alkanes, 219
Equilibria, phase, of rod-like molecules in extensional flow field, 643
Esterification, NMR study of, 23
Ether-ketone resins, polyaromatic, 683
Ethylenediamine, induced conversion of cellulose I to II, 97
Excimer formation in copolymers, 153
Extensional flow field, phase equilibria of rod-like molecules, 643

Fiber, fracture of Nylon 6, 615
Fluorocarboxylic, synthesis of new polymers with, 579
Fourier transform IR study of polymer blends, 745
Fracture, of Nylon 6 fiber, 615
Friedel-Crafts polyketone synthesis, in PPA, 283
From Our Polymer Correspondent, England, 161
——, France, 623, 769
——, Italy, 239

Gas chromatography, characterization of styrene-tetrahydrofuran block copolymers by inverse, 755
——, for determination of diffusion coefficients in polyethylene, 463
Gelation, kinetics of in poly(methacrylic acid) solutions, 507
Glass temperatures, correlation of molecular relaxation rates between solution and bulk phase, 515
Glass transition, poly(vinyl fluoride), 395
Graft copolymers, poly(styrene-co-acrylonitrile), preparation, 739
Grafting, 17
——, cationic modification of polymer surfaces, 585
——, to wool, acid-catalyzed, 93

^{1}H-NMR, see NMR
Hexafluoracetone, radiation induced copolymerization of with α-olefins, 101
Hydrazine, morphology of cellulose regenerated from – solution, 655

IR, Fourier transform study of polymer blends, 745
—— spectrum, far, of irradiated polyethylene, 679
——, studies of α crystal phase of poly(tetramethylene terephthalate), 299
Imidazole, in synthesis of polyamides by phosphorylation, 551
Iniator, polymerization, 1
Interchain correlation, poly(α-L-glutamic acid), 411
Intramolecular ene reaction, 369
Inverse gas chromatography, 755
Ion-dipole interactions, NMR studies, 559
Isoalloxazine residues, in functional polymers, 77
Isomerization in hydrogenation, 271
Isomerization, radical, polymerization of vinyl distributed cyclopropanes, 751
Isotactic polypropylene, longitudinal acoustic mode in, 121

Ketone, polyaromatic ether-ketone resins, 683

Lamellar thickness, factors controlling in quenched melts of polyethylene, 259
Liquids, polymer, equation of state, 71

Macrocyclic formals, 213
Macromolecules, concentrated solutions, sedimentation behavior and particle shape, 377
Matrices, effect of polymeric on exciplex emissions, 295
Melts, polyethylene, 259
——, strained, electron microscope observation on the crystallization of row structures in, 649
Mercury, adsorption of from aqueous solution by thiuram polysulfide polymers, 137
Mercury-binding properties of crosslinked polystyrene, 329
Mesomorphic structure, poly(organophosphazenes), 457
Metalation, Nylon 66 graft copolymers, 363
Methyl acrylate, polymerization of, 287
Methyl methacrylate, excimer formation and energy migration in copolymer of, 153
——, grafting onto RNA, 17
——, photopolymerization, 599
Methacrylate, copolymers, abnormal chiroptical properties, 589
——, NMR of OCH_3 group in, 199
Methylphenylvinylsulfonium tetrafluoroborate, synthesis and copolymerization, 333
Micellar complexation, of bisulfite, effect on polymerization of methyl acrylate, 287
Microwave plasma detector, 693
Molecular relaxation processes, doped polycarbonate, 41
Molecular relaxation rates, solution and bulk phase, 515
Monofilaments, tensile properties of polypropylene, 451
Monomer, glass forming, thermal dependence of polymerization rate, 235
——, nematic, polymerization of, 129

Neutron scattering experiments, poly(α-L-glutamic acid) solutions, 411
Nitrogen dioxide-initiated polymerization of acryclamide, 305
NMR, OCH_3 group in syndiotactic methacrylic copolymers, 199
——, study of esterification of poly(methacrylicacid) with carbodiimides, 23
——, study of ion-dipole, interactions of poly(−)1,2-diaminipropane sebacamide and its model compound with $CaCl_2$ in methanol, 559
Nylon 6, fractional precipitation in the amorphous state, 345
——, viscosity-molecular weight change during fracture of fibers, 615
Nylon 66, metalation and preparation of graft copolymers, 363

Oligomers, separation of, 417
——, styrene, 9
——, ——, parameters in supercritical fluid chromatography, 707
——, ——, preparative supercritical fluid chromatography, 713
Organic media, dispersion colpolymerization in, 49

Particle shape, concentrated macromolecular solutions, 377
Phase equilibria, of rod-like molecules in extensional flow field, 643
Phosphorylation, in polyamide synthesis, 551
Photodegradation, of polypropylene film, 435
Photopolymerization, acrylamide, 605
——, methyl methacrylate, 599
Plasma detector, microwave, 693
PMMA, see poly(methyl methacrylate)
Polyacrylonitrile, graft copolymerization of styrene onto, 501
Polyamides, elastic modulus of, 323
——, synthesis, by phosphorylation, 551
——, thermoplastic crosslinked, of 3,3-bis-(hydroxymethyl)glutaric acid, 471
Polyaromatic resins, ether-ketone, 683
1,4-Polybutadienes, isomerization in hydrogenation of, 271
Poly(1-butene), solid state extrusion, 519
Poly(n-butyl methacrylate), temperature coefficient on unperturbed dimensions, 555
Polycarbonate, doped, 41
——, new synthetic route to, 611
Poly(−)1,2-diaminopropane sebracamide, ion-dipole interactions, NMR studies, 559
Polydisulfides, in formation of copolymers, 619
Polyesters, bearing pendant anthryl and pyrenyl groups from thioesters of dicarboxylic acids, 671
Polyethylene, amorphous, glass temperature of, 315
——, determination of diffusion coefficients in by gas chromatography, 463
——, factors controlling lamellar thickness in quenched melts, 259
——, far-IR spectrum of irradiated, 679
——, proton magnetic resonance spectrum in melt, 65
——, thermal conductivity, of ultrahigh modulus, 183
Poly(α-L-glutamic acid), interchain correlation observed in neutron scattering experiments, 411
Poly(hexamethylene adipamide-g-ethylene oxide), anionic synthesis and characterization, 565
Poly(2-hydroxyethyl methacrylate) gels, entropy elasticity, 733
Polyketone, Friedel-Crafts synthesis in PPA, 283
Polymerization, of acryclamide, anodic gel, 721
——, of acryclamide initiated by nitrogen dioxide, 305
——, cyclo- of dienes, 277
——, N,N-dimethylacrylamide, 475
——, effect of oxygen on acrylonitrile radical, 693
——, hydrogen transfer, of acrylamide, 417
——, initiator, 1
——, ionic and Zwitterionic, of n-alkyl 2-cyanoacrylates, 399
——, methyl acrylate, 287
——, of monomers, radiation induced, temperature dependence, 235
——, of a nematic monomer, 129
——, photo-, acrylamide, 605
——, ——, methyl methacrylate, 599
——, radical, styrene, effect of chlorophosphines, 493
——, spontaneous styrene, Diels-Alder intermediate as agent in, 229
——, stereoscopic, of acetaldehyde by transition metal alkyls, 729

——, temperature dependence in initial rate, 235
——, of 1,3,6,9-tetraoxacycloundecane, 213
——, with trivinylaluminum, 595
——, vinyl, 1
——, vinyl-distributed cyclopropanes, 751
——, vinylpyridinium salts, 487, 535
Polymer, amorphous, thermal properties, 427
——, "apparent sublimation," 467
——, blends, IR Fourier transform study of, 745
——, with chlosteric side groups, liquid crystalline order, 545
——, effect of matrices on exciplex emissions, 295
——, helical, longitudinal acoustic mode, 121
——, isoalloxazine residues in functional, 77
——, liquids, equation of state, 71
——, modification of surfaces by cationic grafting, 585
——, novel crystalline complex of poly(m-phenylene isophthalamide) and ε-caprolactam, 527
——, photoreactive, poly(α-truxallic piperazide), 481
——, research, England, 161
——, ——, France, 623, 769
——, ——, Italy, 239
——, Schiff base, intrinsic properties, 147
——, spontaneously and photoinitiated, comparison of chain length distribution, 229
——, sulfur containing, 137, 329
——, synthesis with fluorocarboxylic groups, 579
——, thermal transport in amorphous, at high temperatures, 193
——, thiuram polysulfide, adsorption of mercury from aqueous solution, 137
——, vinyl, in formation of copolymers, 619
Poly(methyl methacrylate), antistatic, 687
——, copolymer blends, 687
——, energy calculations, 699
——, Fourier transform, IR study, 745
Poly(methacrylic acid), solutions, kinetics of gelation, 507
——, syndiotactic, NMR study of esterfication with carbodiimides, 23
Poly(organophosphazenes), mesomorphic structure, 457
Poly(oxymethylene), longitudinal acoustic mode in, 121
Polypeptides, light-induced conformational changes, 407
——, sequential, 531
——, stability of α-helix, 311
Poly(m-phenylene isophthalamide), novel crystalline complex polymer, 527
Poly(p-phenylene), ablation compaction, 439
Polyphosphates, in synthesis of polyamides by phosphorylation, 551
Polypropylene, biaxial stretching of film, 349
——, film, photodegradation of, 435
——, isotactic, longitudinal acoustic mode in, 121
——, monofilaments, tensile properties, 451
Polystyrene, synthesis and Hg-binding properties of, bearing thiuram disulfide, 329
Poly(styrene-co-acrylonitrile), graft copolymer prepared by Cerium (IV) initiation, 739
Polysulfonamides, synthesis from di-1-benzotriazolyl and diamine, 207
Poly(tetramethylene terephtphalate), IR studies of, 299
1,2-Poly(trans-1,3-pentadiene), thermal cyclization of, 369
Poly(α-truxillic piperazide), x-ray structure, 481
Polyvinyl chloride, long-chain, branched, 387
Poly(vinyl fluoride), glass transition, 395
Poly(vinylidene fluoride), 745
Poly(N-vinylurea), structure and reaction of, 341
Potassium trisoxalatoferrate, in photopolymerization of acrylamide, 605
PPA, polyketone synthesis, 283
Proton magnetic resonance, linear polythylene in melt, 65
Pyrenyl groups, polyesters bearing, 671

RNA, methyl methacrylate grafting onto, 17
Rod-like molecules, in extensional flow field, 643
Row structures, electron microscope observation on the crystalization of, in strained melts, 649

(S)-(−)-α-Benzyl methacrylate, copolymers, abnormal chiroptical properties, 589

Salts, monomeric, 487
——, vinylpyridinium, 487, 535
Sedimentation behavior, concentrated macromolecular solutions, 377
Shiff-base polymers, intrinsic properties of, 147
Solid state extrusion of poly(1-butene), 519
Solution, glass temperature, correlation with bulk phase molecular relaxation rate, 515
Stability, α-helix of polypeptides, 311
Styrene, characterization of styrene-tetrahydrofuran block copolymers by inverse gas chromatography, 755
——, comonomer in acid-catalyzed grafting to wool, 93
——, Diels-Alder intermediate as agent in spontaneous polymerization of, 229
——, dispersion copolymerization in organic media, 49
——, graft copolymerization onto polyacrylonitrile, 501
——, oligomers, 9
——, ——, parameters in supercritical fluid chromatography, 707
——, ——, preparative supercritical fluid chromatography, 713
——, radical polymerization, 493
Sublimation, "apparent" of a polymer, 467
Sulfur-containing polymers, 137, 329
Sulfur dioxide, copolymerization, 659
Supercritical fluid chromatography, styrene oligomers, parameters, 707
——, ——, preparative, 713
Surface modification, Teflon, contact angle measurements, 107
Synthesis, cross linked polystyrene, 329
——, donor-acceptor alternating cooligomers, 89
——, methylphenylvinylsulfonium tetrafluoroborate, 333

Teflon, surface modification, contact angle measurements, 107
Temperature coefficient, poly(n-butyl methacrylate), 555
Tensile properties, polypropylene monofilaments, 451
Tert-butyllithium, addition to dienes, 141
1,3,6,9-Tetraoxacycloundecane, polymerization of, 213
Tetrahydrafuran, characterization of styrene-tetrahydrafuran block copolymers by inverse gas chromatography, 755
N,N,N′,N′-Tetramethyl-α,ω-diaminoalkanes, reactions with α,ω-dihaloalkanes, 31
Thermal conductivity, ultrahigh modulus polyethylene, 183
Thermal properties, amorphous polymers, 193, 427
Thermoluminescence, doped polydiancarbonate, 41
Thioesters, of dicarboxylic acids, 671
Thiomide formation, in graft copolymerization of styrene onto polyacrylonitrile, 501
Thiuram disulfide groups, crosslinked polystyrene bearing, 329
Transition metal alkyls, stereoscopic polymerization of acetaldehyde by, 729
Transport, thermal in amorphous polymers, 193
Trityl methacrylate, copolymers, abnormal chiroptical properties, 589
Toluenesulfonyl hydrazide, diimide from in hydrogenation of 1,4-polybutadienes, 271

N-Vinylcarbazole, addition of carboxylic acid to, 337
Vinyl chloride, copolymerization, 659
Vinyl groups, in synthesis of 2,4-dihydroxybenzophene derivatives, 675
4-Vinyl-N-methylpyridinium methylsulfate, polymerization, interfacial and isotropic properties, 535
1-Vinylnapthalene, excimer formation and energy migration in copolymers of, 153
2-(o-Vinylphenoxy)ethyl methacrylate and acrylate, cyclopolymerization of, 277
Vinylpyridinium salts, polymerization, 487, 535
Vinyl polymers, formation of copolymers by termination of with polydisulfides, 619
Vinylation, of chlorinated ethylene-propylene rubber and crosslinking, 595
——, with trivinylaluminum, 595

Wool, radiation grafting to, styrene comonomer technique, 421

X-ray structure, poly(α-truxillic piperazide), 481

Zwitterionic polymerization, of n-alkyl 2-cyanoacrylates, 399